About the directions:

You will find upon printing out this pattern that there are eight pages of directions. Please match the numbered, colored arrows to create four larger pages.

You will need to trim the sides off where the arrows meet (including the arrow), slightly overlap those two mated pages, and then tape them together.

Missing pattern pieces:

The original pattern was missing pieces 33 and 56.

Number 33 was the dress strap for views D & E, for the 11.5 - 12” doll. I used corresponding piece 37 for the larger doll (18 - 19”) and reduced it to the estimated size on the copier. You will find the *new piece 33* appropriately marked with a 33.

Number 56 is the sleeve for view G for the larger doll. I enlarged piece 52 (for the 11.5 - 12” doll) to the appropriate size for the bigger dolls. You will find the *new piece 56* marked with a 56.

All pieces for this pattern are represented. It is very large as it is sized for dolls like Donny & Marie, Farrah, Wonder Women, Toni Tenille, Sonny & Cher, and other Mego dolls, as well as Tuesday Taylor and Taylor Jones by Ideal.

The other size is for Magic Hair Crissy, Tiffany Taylor, and Super Size Barbie.

The pieces are all laid out in sequential order, as much as humanly possible.

Have fun!

6317

CAREFREE™ PATTERNS FROM

McCALL'S®

PATTERN PIECES

1. JACKET FRONT A
2. JACKET BACK A
3. SLEEVE A
4. BAND A
5. BELT A
6. JACKET FRONT A
7. JACKET BACK A
8. SLEEVE A
9. BAND A
10. JACKET FRONT A
11. JACKET BACK A
12. SLEEVE A
13. BAND A
14. BELT A
15. PANTS A OR SHORTS C
16. PANTS A OR SHORTS C
17. PANTS A or B
18. JACKET FRONT B
19. SLEEVE B
20. JACKET BACK B
21. COLLAR B
22. JACKET FRONT C
23. SLEEVE C
24. JACKET BACK C
25. COLLAR C
26. JACKET FRONT C
27. SLEEVE C
28. JACKET BACK C
29. COLLAR C
30. RUFFLE D
31. DRESS D OR E
32. LOWER RUFFLE D
33. STRAP D OR E
34. RUFFLE D
35. DRESS D OR E
36. LOWER RUFFLE D
37. STRAP D OR E
38. BACK F
39. FRONT F
40. COLLAR F
41. SLEEVE F
42. BELT F
43. BLOUSE FRONT G
44. BLOUSE BACK G
45. BLOUSE FRONT G
46. BLOUSE BACK G
47. SKIRT G
48. SKIRT G
49. FRONT G
50. BACK G
51. FACING G
52. SLEEVE G
53. FRONT G
54. BACK G
55. FACING G
56. SLEEVE G

PATTERN MARKINGS

GRAINLINE: Place on straight grain of fabric, an even distance from selvage.

Place on fold — FOLD LINE: Place on fold of fabric.

CUTTING LINE: For cutting.

SEAM LINE: For stitching.

SEAM ALLOWANCE: Distance between cutting and seam lines, usually 5/8" (1.5cm).

NOTCHES AND CIRCLES: For matching pattern pieces.

ADJUST IF NECESSARY

A pattern is made to fit body measurements, w comfort and style.

Adjust pieces before placing on fabric. Adjus finished garment lengths using

McCALL'S EASY RULE

TO SHORTEN: Crease on Easy-Rule Guide. Fo necessary amount. Tape in place.

TO LENGTHEN: Cut on dotted lines of Easy-Ru Guide. Spread necessary amount. Tape ov paper.

See McCall's HOW TO FIT BOOK for other adjustments.

CUTTING LAYOUTS

Black area denotes fabric.

DOLL 11½"-12" (29cm-30.5cm)

A JACKET

GIRL - use pieces 1, 2, 3
BOY - use pieces 6, 7, 8

44" 45" (115cm) fabric without nap

Contrast Bands, Belt and Pants

GIRL - use pieces 4, 5, 15
BOY - use pieces 5, 9, 17

44" 45" (115cm) fabric without nap

B JACKET and PANTS (boy only)

use pieces 17 thru 21

44" 45" (115cm) fabric without nap



C JACKET and SHORTS (girl only)

use pieces 15; 22 thru 25

44" 45" (115cm) fabric without nap

D DRESS

use pieces 30 thru 33

44" 45" (115cm) fabric without nap



E DRESS

use pieces 31, 33

44" 45" (115cm) fabric without nap

F JUMPSUIT (boy only)

use pieces 38 thru 42

44" 45" (115cm) fabric without nap



G BLA
(girl o
use pieces 4
44" 45" (115cm) fabric without nap

G SKI
use piece 47
44" 45" (115cm) fabric without nap

G BLO
use pieces 4
44" 45" (115cm) fabric without nap

DOLL (g
(46cm-4

A JAC
use pieces
11, 12
44" 45" (115cm) fabric without na

CUTTING AND MARKING

with extra ease for

st back waist and



SHRINK FABRIC not labeled pre-shrunk. Press.

CIRCLE LAYOUT for View, Size, Fabric Width.

Use **WITH NAP** layout for fabrics with one-way designs, nap, pile or surface shading.

For **DOUBLE THICKNESS** - fold fabric with Right Sides Together.

For **SINGLE THICKNESS** - place fabric Right Side Up.

Before **CUTTING** place all pieces on fabric according to layout. Overlap margins. Pin.

Cut **ACCURATELY** through fabric and pattern on cutting line. Cut notches outward.

BEFORE REMOVING PATTERN, transfer markings to Wrong Side of fabric. Two ways which may be used quickly are the Pin and Chalk Pencil method or Tracing Paper and Dressmaker Wheel.

Pattern pieces to be placed with printed side up. | Pattern pieces to be placed with printed side down. | Pattern pieces to be cut a second time.

ZER
only)
9 thru 52

A - continued
Contrast Bands, Belt and Pants
use pieces 13, 14, 16

44" 45" (115cm) fabric without nap



G BLAZER
use pieces 53 thru 56

44" 45" (115cm) fabric without nap

C JACKET and SHORTS
use pieces 16; 26 thru 29

44" 45" (115cm) fabric without nap

RT

G SKIRT
use piece 48

44" 45" (115cm) fabric without nap

USE
3, 44



D DRESS
use pieces 34 thru 37

44" 45" (115cm) fabric without nap



irl only) **18"-19"**
8.5cm)

KET
0,



E DRESS
use pieces 35, 37

44" 45" (115cm) fabric without nap



G BLOUSE
use pieces 45, 46

44" 45" (115cm) fabric without nap



6317

NOTE: 1/4" (6mm) seam allowances are allowed on pattern unless otherwise indicated.

JACKET - A

FOR 11-1/2" - 12" (29cm - 30.5cm) GIRL DOLL

Stitch FRONTS (1) to BACK (2) at shoulders.

Turn under seam allowance on lower edge of SLEEVE (3) and edge-stitch.

Pin sleeves to armhole edges of front and back, RIGHT SIDES TOGETHER, matching notches. Stitch. Press seam allowances toward sleeve.



Stitch underarm seams of jacket and sleeves. Clip curves.



Fold BAND (4) in half lengthwise, WRONG SIDES TOGETHER. Press.

Pin band to jacket, RIGHT SIDES TOGETHER, matching notches and center backs. Stitch. Clip curve. Press seam allowance toward jacket.



CONTINUED ON OTHER SIDE

FABRIC KEY



STITCH AND PRESS

Pin or baste seams together matching notches. Fit garment before stitching major seams.

Stitch in directions of arrows. Use 5/8" (1.5cm) seam allowance unless otherwise indicated.

Press seams open unless otherwise stated. Clip if necessary to press seams flat.

SEAM AND RAW EDGE FINISHES

6317 - PART 1

Turn under seam allowances on lower edge of jacket and edge-stitch.



Press under 1/4" (6mm) on all edges of BELT (5).

Fold belt in half lengthwise, WRONG SIDES TOGETHER. Stitch close to turned under edges.



Pin belt to center back of jacket at waistline. Tack in place.

NOTE: For 11-1/2" - 12" (29cm - 30.5cm) BOY DOLL, substitute pattern pieces 6, 7, 8 and 9 for pieces 1, 2, 3 and 4.

For 18" - 19" (46cm - 48.5cm) DOLL, substitute pattern pieces 10, 11, 12, 13 and 14 for pieces 1, 2, 3, 4 and 5.

PANTS-A OR SHORTS-C

FOR 11-1/2" - 12" (29cm - 30.5cm) GIRL DOLL, or FOR 18" - 19" (46cm - 48.5cm) DOLL

Stitch center front seam in PANTS or SHORTS (15) or (16).

For casing, press under 1/2" (1.3cm) on upper edge of pants or shorts. Stitch 1/4" (6mm) from pressed edge.





Cut elastic 4-3/4" (12cm) long for small size and 7-3/4" (20cm) long for large size. Insert elastic thru casing and tack securely at ends.

Turn under seam allowances on lower edge of pants or shorts and edge-stitch.



For SHORTS C, pin braid to lower edge. Stitch thru center of braid.



Stitch center back seam.

Stitch back to front at inside leg edges, matching seams.

To crease pants or shorts, bring leg seams together and press.

VIEW C



VIEW A

PANTS - A or B

FOR 11-1/2" - 12" (29cm - 30.5cm) BOY DOLL

For VIEW B, pin braid down side of PANTS (17). Stitch thru center of braid.



Stitch center front seam.

For waist casing, press under 1/2"
Stitch 1/4" (6mm) from pressed ed



Cut elastic 5" (12.5cm) long. Inse
securely at ends.

Press under 1/2" (1.3cm) on low
(6mm) from pressed edge.



For VIEW B, cut elastic for each
(4.5cm) long. Insert elastic thru
tack securely at ends.

Stitch center back seam.

Stitch back to front at inside
edges, matching seams.

For VIEW A, to crease pants bring
seams together and press.

JACKE

FOR 11-1/2" - 12" (29cm - 30

Topstitch along dotted line on F
(18).

EAM AND AW EDGE FINISHES

SEWING TERMS

GRADE

Cut seam allowances to graduated widths and interfacing close to stitching.

INVISIBLE STITCH

Used for hemming. Turn hem back. Pick up a thread of garment; then pick up a thread of hem diagonally above.



m.

under 1/2" (1.3cm) on upper edge of pants. n pressed edge.



) long. Insert elastic thru casing and tack

cm) on lower edge of pants. Stitch 1/4" dge.



tic for each leg 1-3/4" lastic thru casing and



n.

at inside leg s.

pants bring leg ss.



JACKET-B

(29cm - 30.5cm) BOY DOLL

d line on FRONT

Pin braid along center of SLEEVE (19). Stitch thru center of braid.



For casing, press under 1/2" (1.3cm) on lower edge of sleeve. Stitch 1/4" (6mm) from pressed edge.



Cut elastic 2" (5cm) long. Insert elastic thru casing and tack securely at ends.



Pin sleeve to armhole edge of front and BACK (20), RIGHT SIDES TOGETHER, matching notches. Stitch.



Stitch underarm seams of jacket and sleeves. Clip curves.



For casing, press under 1/2" (1.3cm) on lower edge of jacket. Stitch 1/4" (6mm) from pressed edge.



Cut elastic 6" (15cm) long. Insert elastic thru casing and tack securely at ends.



Fold COLLAR (21) in half lengthwise, RIGHT SIDES TOGETHER. Stitch ends.

Turn RIGHT SIDE OUT. Press. Baste raw edges together.

Pin collar to neck edge, RIGHT SIDES TOGETHER, matching center backs, notches and having front ends of collar at facing lines. Baste.



Turn front facings to OUTSIDE along facing lines and baste to neck edge. Stitch.

Turn facings to INSIDE along facing lines. Press.

Topstitch 1/8" (3mm) from front edges of jacket and collar.



CONTINUED ON PART 2

Lap LEFT front over RIGHT. Sew snaps to front at SMALL circles.



JACKET C

Same as JACKET B, except reverse snap positions and make following changes.

For 11-1/2" - 12" (29cm - 30.5cm) GIRL DOLL, substitute pattern pieces 22, 23, 24 and 25 for pieces 18, 19, 20 and 21 and cut each sleeve elastic 1-3/4" (4.5cm) long and jacket elastic 5-1/2" (14cm) long.

For 18" - 19" (46cm - 48.5cm) DOLL, substitute pattern pieces 26, 27, 28 and 29 for pieces 18, 19, 20 and 21 and cut each sleeve elastic 2-1/2" (6.5cm) long and jacket elastic 8" (20.5cm) long.

DRESS D or E

FOR 11-1/2" - 12" (29cm - 30.5cm) GIRL DOLL

VIEW D

Turn under seam allowances on lower edge of RUFFLE (30) and edge-stitch.

Pin RIGHT SIDE of ruffle to WRONG side of DRESS (31), matching centers and upper edges. Stitch along upper edge. Clip curve.



Turn ruffle to OUTSIDE. Press. To form casing, stitch 1/4" (6mm) from upper edge thru all thicknesses.



Cut elastic 5" (12.5cm) long. Insert elastic thru casing and tack securely at ends.



VIEW E

Cut elastic 5" (12.5cm) long.
Mark center with pin.

Pin elastic above seam line at upper edge of DRESS (31), matching pin to center front. Stitch thru center of elastic, stretching elastic while stitching.



Turn seam allowance at upper edge to INSIDE. Stitch 1/8" (3mm) from turned edge, stretching elastic while stitching.



VIEW D or E

Cut elastic 5" (12.5cm) long. Mark cen

Pin elastic along line indicated on WR ing pin to center front. Stitch thru cen tic while stitching.





VIEW D

Turn under seam allowance on lower ed and edge-stitch.

To gather upper edge of lower ruffle, m dicated on pattern.



Pin lower ruffle to lower edge of dress, F matching centers and notches. Adjus Press seam toward dress.



long. Mark center with pin.

ndicated on WRONG SIDE of dress, match- Stitch thru center of elastic, stretching elas-



nce on lower edge of LOWER RUFFLE (32)

f lower ruffle, machine-baste along lines in-



3

edge of dress, RIGHT SIDES TOGETHER, notches. Adjust gathers. Baste. Stitch.



VIEW E

Turn under 1/4" (6mm) on lower edge of dress and edge-stitch.



VIEW D or E

Stitch center back seam.



Turn under 1/4" (6mm) on long edges of STRAP (33).

Fold strap in half lengthwise, WRONG SIDES TOGETHER. Stitch close to turned under edge.



Pin front ends of strap to front edge of dress at SMALL circles on INSIDE. Sew in place.

Pin back ends of strap to back edge of dress at SMALL circles. Try dress on doll. Adjust straps if necessary. Sew in place.



NOTE: For 18" - 19" (46cm - 48.5cm) DOLL, substitute pattern pieces 34, 35, 36 and 37 for pieces 30, 31, 32 and 33 and cut elastics 7-3/4" (20cm) long.

JUMPSUIT-F

Stitch center seam in BACK (38). Stitch center seam in FRONT (39) from inside leg edge to square. Clip to square.



Stitch back to front at shoulders.



Fold COLLAR (40) in half lengthwise, RIGHT SIDES TOGETHER. Stitch ends.

Turn RIGHT SIDE OUT. Press. Baste raw edges together.

Pin collar to neck edge, RIGHT SIDES TOGETHER, matching notches, center backs and having front ends of collar at facing lines. Baste.

Turn front facings to OUTSIDE along facing lines and baste to neck edge. Stitch.



CONTINUED ON PART 3

Turn facings to INSIDE along facing lines. Press.

Turn under seam allowances at lower edge of facing and slip-stitch.



Lap LEFT front over RIGHT. Sew snaps to front at SMALL circles.

For sleeve casing, press under 1/2" (1.3cm) on lower edge of SLEEVE (41). Stitch 1/4" (6mm) from pressed edge.



Cut elastic 2" (5cm) long. Insert elastic thru casing and tack securely at ends.



Pin sleeves to armhole edges of front and back, RIGHT SIDES TOGETHER, matching notches. Stitch. Press seam allowances toward sleeve.



Stitch underarm seams of jumpsuit and sleeves. Clip curves.

Turn under seam allowances on lower edges of jumpsuit and edge-stitch.

Stitch back to front at inside leg edges, matching seams.



Press under 1/4" (6mm) on all edges of BELT (42).

Fold belt in half lengthwise, WRONG SIDES TOGETHER. Stitch close to pressed edges.



BLOUSE-G

Stitch FRONT (43) to BACKS (44) or FRONT (45) to BACKS (46) at shoulders.

Staystitch neck edge along seam line. Clip curve.

Turn under neck seam allowances and edge-stitch.

Clip front and back to SMALL circles.

Turn under seam allowances between clips and edge-stitch.



Stitch center back seam from lower edge to LARGE circle, taking up a 3/8" (1cm) seam allowance. Press seam open, pressing under seam allowances above circle.

Stitch back to front at sides.



Turn under seam allowance or edge of blouse and edge-stitch.

Sew button and thread loop to bac



SKIR

For casing, press under 1/2" (1.3cn or (48). Stitch 1/4" (6mm) from pre



Cut elastic 4-3/4" (12cm) long for long for large size. Insert elastic thr ends.

Turn under seam allowance on lower



lowance on lower
ge-stitch.



l loop to back neck edge, as illustrated.

SKIRT-G

1/2" (1.3cm) on upper edge of SKIRT (47)
m) from pressed edge.



m) long for small size and 7-3/4" (20cm)
rt elastic thru casing and tack securely at

nce on lower edge of skirt and edge-stitch.



Stitch center back seam.



BLAZER - G

FOR 11-1/2" - 12" (29cm - 30.5cm) GIRL DOLL

Make a 1/4" (6mm) clip along solid dart line on FRONT (49).

Stitch BACK (50) to front at shoulders.

Stitch center back seam in collar.

To stitch dart and neck seam, fold dart on solid line. Stitch on dotted line, continuing to stitch neck seam along seam line.

Press darts and seam allowances toward front and collar.



Stitch center back seam in FACING (51).

Pin facing to blazer, RIGHT SIDES TOGETHER, matching notches and seams. Stitch NOTCHED edge. Clip curve.



Turn facing to INSIDE. Press. Tack at shoulder seams.



Turn under seam allowance on lower edge of SLEEVE (52) and edge-stitch.

Pin sleeve to armhole edges of front and back, RIGHT SIDES TOGETHER, matching notches. Stitch. Press seam allowances toward sleeve.



Stitch underarm seams of blazer and sleeves. Clip curves.



Turn under seam allowance on lower edge of blazer. Stitch 1/8" (3mm) from lower, front and collar edges of jacket.



Lap RIGHT front over LEFT. Sew buttons to RIGHT front at SMALL circles. Sew snaps to fronts under buttons.

NOTE: For 18" - 19" (46cm - 48.5cm) DOLL, substitute pattern pieces 53, 54, 55 and 56 for pieces 49, 50, 51 and 52.




McCALL'S
6317
Doll 11½"-12"
5
BELT A
CEINTURE
CINTURON
CINTO
¼" (6mm.) Seam allowance
6mm. coutura
6mm. costura
6mm. de costura permitida
Center Back fold
For Girl
Pour la fille
Para la niña
Para nenina
For Boy
Pour le garçon
Para el niño
Para nenino
2
JACKET BACK A
DOS DE LA JAQUETTE
ESPALDA DE LA CHAQUETA
COSTAS DA JAQUETA
Center Back. Place on fold
¼" (6mm.) Seam
McCALL'S
6317
Doll 11½"-12"
3
SLEEVE A
MANCHE
MANGA
MANGA
Lengthwise of fabric
Cut 2
Coupez 2
Córtense 2
Corte 2
McCALL'S
6317
Doll 11½"-12"
1
JACKET FRONT A
DEVANT DE LA JAQUETTE
FRENTE DE LA CHAQUETA
FRENTE DA JAQUETA
McCALL'S
6317
Doll 11½"-12"
6
JACKET FRONT A
DEVANT DE LA JAQUETTE
FRENTE DE LA CHAQUETA
FRENTE DA JAQUETA
McCALL'S
6317
Doll 11½"-12"
4
BAND A
BANDE
BANDA
FAIXA
¼" (6mm.)

McCALL'S
6317
Doll 11½"-12"

7

JACKET BACK A

DOS DE LA JAQUETTE
ESPALDA DE LA CHAQUETA
COSTAS DA JAQUETA

For Boy
Pour le garçon
Para el niño
Para nenino

Center Back. Place on fold

1/4" (6mm.)

3

McCALL'S
6317
Doll 11½"-12"

8

SLEEVE A

MANCHE
MANGA
MANGA

Lengthwise of fabric

For Boy
Pour le garçon
Para el niño
Para nenino

Cut 2
Coupez 2
Córtense 2
Corte 2

2

McCALL'S
6317
Doll 11½"-12"

9

BAND A

BANDE
BANDA
FAIXA

1/4" (6mm.) Seam

Center Back fold

4

For Boy
Pour le garçon
Para el niño
Para nenino

4

McCALL'S
6317
Doll 18"-19"

10

JACKET FRONT A

DEVANT DE LA JAQUETTE
FRENTE DE LA CHAQUETA
FRENTE DA JAQUETA

Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda

Cut 2
Coupez 2
Córtense 2
Corte 2

1

2

3

4

1/4" (6mm.) Seam allowance

Center Back
Place on fold

McCALL'S
6317
Doll 18"-19"

14 BELT A
CEINTURE
CINTURON
CINTO

¼" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida

McCALL'S
6317
Doll 18"-19"

11
JACKET BACK A
DOS DE LA JAQUETTE
ESPALDA DE LA CHAQUETA
COSTAS DA JAQUETA

Center Back. Place on fold
Milieu du dos—Placez sur le pli
Centro de atrás—Colóquese sobre el doblez
Centro das costas. Coloque sobre a prega

¼" (6mm.) Seam

McCALL'S
6317
Doll 18"-19"

13 BAND A
BANDE
BANDA
FAIXA

¼" (6mm.) Seam allowance

Center Back fold

McCALL'S
6317
Doll 18"-19"

12 SLEEVE A
MANCHE
MANGA
MANGA

Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda

Cut 2
Coupez 2
Córtense 2
Corte 2

¼" (6mm.) Seam allowance


15
McCALL'S
6317
Doll 11½"-12"
Center Back
Milieu du dos
Centro de atrás
Centro das costas
2
Center Front
Milieu du devant
Centro del frente
Centro da frente
1
PANTS A
PANTALONS
PANTALONES
CALÇA COMPRIDA
SHORTS C
CULOTTE
CALZONES
SHORT
For Shorts, cut away here
Pour la culotte coupez ici
Para los calzones, córtese aquí
Para o short, corte aqui
Cut 2
Coupez 2
Córtense 2
Corte 2
For Girl
Pour la fille
Para la niña
Para nenina
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda
3
3
¼" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida

McCALL'S
6317
Doll 18"-19"
16
PANTS A
PANTALONS
PANTALONES
CALÇA COMPRIDA
SHORTS C
CULOTTE
CALZONES
SHORT
Cut 2
Coupez 2
Córtense 2
Corte 2
Center Back
Milieu du dos
Centro de atrás
Centro das costas
Center Front
Milieu du devant
Centro del frente
Centro da frente
2
1
For Shorts, cut away here
Pour la culotte coupez ici
Para los calzones, córtese aquí
Para o short, corte aqui
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda
3
3
1/4" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida

Center Back
Milieu du dos
Centro de la espalda
Centro das costas
McCALL'S
6317
Doll 11½"-12"
17
PANTS A or B
PANTALONS
PANTALONES
CALÇA COMPRIDA
Center Front
Milieu du devant
Centro del frente
Centro da frente
Cut 2
Coupez 2
Córtense 2
Corte 2
For Boy
Pour le garçon
Para el niño
Para menino
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda
¼" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida
McCALL'S
6317
Doll 11½"-12"
18
JACKET FRONT B
DEVANT DE LA JAQUETTE
FRENTE DE LA CHAQUETA
FRENTE DA JAQUETA
Cut 2
Coupez 2
Córtense 2
Corte 2
¼" (6mm.) Seam
Lengthwise of fabric
Facing line
Ligne renforcer
Línea reforzar
Linha de reforço
McCALL'S
6317
Doll 11½"-12"
19
SLEEVE B
MANCHE
MANGA
MANGA
Cut 2
Coupez 2
Córtense 2
Corte 2
¼" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda

1/4" (6mm.) Seam allowance

McCALL'S
6317
Doll 11½"-12"

23
SLEEVE C
MANCHE
MANGA
MANGA
MANGA

Cut 2
Coupez 2
Córtense 2
Corte 2

Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda

1/4" (6mm.) Seam

McCALL'S
6317
Doll 11½"-12"

20
JACKET BACK B
DOS DE LA JAQUETTE
ESPALDA DE LA CHAQUETA
COSTAS DA JAQUETA

Center Back. Place on fold
Milieu du dos—Placez sur le pli
Centro de atrás—Coloquese sobre el doblez
Centro das costas. Coloque sobre a prega

1/4" (6mm.)

McCALL'S
6317
Doll 11½"-12"

Lengthwise of fabric

Center Back
Milieu du dos
Centro de atrás
Centro das costas

21
COLLAR B
COL
CUELLO
GOLA

Cut 1
Coupez 1
Córtese 1
Corte 1

22
McCALL'S
6317
Doll 11½"-12"
JACKET FRONT C
DEVANT DE LA JAQUETTE
FRENTE DE LA CHAQUETA
FRENTE DA JAQUETA

1/4" (6mm.)

Lengthwise of fabric

Facing line
Ligne renforcer
Línea reforzar
Linha de reforço

Cut 2
Coupez 2
Córtense 2
Corte 2

1/4" (6mm.) Seam

McCALL'S
6317
Doll 11½"-12"

24
JACKET BACK C
DOS DE LA JAQUETTE
ESPALDA DE LA CHAQUETA
COSTAS DA JAQUETA

Center Back. Place on fold

1/4" (6mm.)

McCALL'S
6317
Doll 11½"-12"
Lengthwise of fabric

Center Back

25
COLLAR C
COL
CUELLO
GOLA

Cut 1
Coupez 1
Córtese 1
Corte 1


3
1/4" (6mm.) Seam
McCALL'S
6317
Doll 18"-19"
26
JACKET FRONT C
DEVANT DE LA JAQUETTE
FRENTE DE LA CHAQUETA
FRENTE DA JAQUETA
Cut 2
Coupez 2
Córtense 2
Corte 2
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda
Facing line
Ligne renforcer
Línea reforzar
Linha de reforço
2
4
1/4" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida
McCALL'S
6317
Doll 18"-19"
27
SLEEVE C
MANCHE
MANGA
MANGA
Cut 2
Coupez 2
Córtense 2
Corte 2
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda
McCALL'S
6317
Doll 18"-19"
28
JACKET BACK C
DOS DE LA JAQUETTE
ESPALDA DE LA CHAQUETA
COSTAS DA JAQUETA
Center Back, place on fold
Milieu du dos—Placez sur le pli
Centro de atrás—Colóquese sobre el doblez
Centro das costas. Coloque sobre a prega
1/4" (6mm.) Seam

Center Back
Milieu du dos
Centro de atrás
Centro das costas

Cut 1
Coupez 1
Córtese 1
Corte 1

McCALL'S
6317
Doll 11½"-12"

30
RUFFLE D
VOLANT
VOLANTE
BABADO

Center Front
Milieu du devant
Centro del frente
Centro da frente

Lengthwise
of fabric

¼" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida

Center Back
Milieu du dos
Centro de atrás
Centro das costas



This piece continued on next page.

Sew Elastic here
Cousez l'élastique ici
Cosase el elástico aquí
Costure o elástico aqui

Center Back
Milieu du dos
Centro de atrás
Centro das costas

McCALL'S
6317
Doll 11½"-12"
31
DRESS D or E
ROBE
VESTIDO
VESTIDO

Center Front. Place on fold
Milieu du devant—Placez sur le pli
Centro del frente—Colóquese sobre el doblez
Centro da frente. Coloque sobre a prega

2

n allowance
permitida

1/4" (6mm.) Seam
6mm. couture
6mm. costura
6mm. de costura

For view E, cut away here
Pour la vue E, coupez ici
Para la vista E, córtese aquí
Para a vista E, corte aqui



This piece continued on next page.

Center Front — Pli / Doblez / Prega
Place on fold

¼" (6mm.) Seam allowance

McCALL'S
6317
Doll 18" - 19"

34
RUFFLE D
VOLANT
VOLANTE
BABADO

Cut 1
Coupez 1
Córtese 1
Corte 1

Center Back
Milieu du dos
Centro de atrás
Centro das costas

This piece continued on next page.

Sew Elastic here
Cousez l'élastique ici
Cosase el elástico aquí
Costure o elástico aqui

Center Back
Milieu du dos
Centro de atrás
Centro das costas

McCALL'S
6317
Doll 18"-19"
35
DRESS D or E
ROBE
VESTIDO
VESTIDO

2

er Front. Place on fold
ou devant—Placez sur le pli
del frente—Colóquese sobre el dobez
da frente. Coloque sobre a prega


1/4" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida
Cent
Milieu
Centro
Centro
For view E, cut away here
Pour la vue E, coupez ici
Para la vista E, córtese aquí
Para a vista E, corte aqui

This piece continued on next page.


1/4" (6mm.) Seam allowance
5
2
Center Back
Milieu du dos
Centro de atrás
Centro das costas
McCALL'S
6317
Doll 11½"-12"
38
BACK F
DOS
ATRAS
COSTAS
Cut 2
Coupez 2
Córtense 2
Corte 2
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda
1
6
McCALL'S 6317 Doll 18"-19"
BACK
37
Cut 2
Lengthwise
of fabric
STRAP D or E
PATTE
TIRA
ALÇA
1/4" (6mm.)
Gather along these lines
Froncer sur ces lignes
Frúncese en estas líneas
Pregueie nestas linhas
Center Front
Place on fold
Pli
Doblez
Prega


McCALL'S
6317
Doll 11½"-12"
39
FRONT F
DEVANT
DELANTERA
FRENTE
Cut 2
Coupez 2
Córtense 2
Corte 2
Facing line
Ligne renforcer
Línea reforzar
Linha de reforço
Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda
¼" (6mm.) Seam allowance
McCALL'S
6317
Doll 11½"-12"
Lengthwise
of fabric
Center
Back
Milieu du dos
Centro de atrás
Centro das costas
Cut 1
Coupez 1
Córtese 1
Corte 1
40
COLLAR F
COL
CUELLO
GOLA
¼" (6mm.)
McCALL'S
6317
Doll 11½"-12"
41
SLEEVE F
MANCHE
MANGA
MANGA
Lengthwise
of fabric
Cut 2
Coupez 2
Córtense 2
Corte 2
¼" (6mm.) Seam allowance
McCALL'S
6317
Doll 11½"-12"
43
BLOUSE FRONT G
DEVANT DE LA BLOUSE
DELANTERA DE LA BLUSA
FRENTE DA BLUSA
Center Front. Place on fold
¼" (6mm.) Seam

McCALL'S
6317
Doll 18"-19"
45
BLOUSE FRONT G
DEVANT DE LA BLOUSE
DELANTERA DE LA BLUSA
FRENTE DA BLUSA

Center Front Place on fold

1/4" (6mm.) Seam

McCALL'S
6317
Doll 11 1/2"-12"
44
BLOUSE BACK G
DOS DE LA BLOUSE
ESPALDA DE LA BLUSA
COSTAS DA BLUSA

Lengthwise of fabric

Cut 2

Center Back
Milieu du dos
Centro de atrás
Centro das costas

1/4" (6mm.) Seam

3/8" (1cm.)

McCALL'S
6317
Doll 18"-19"
46
BLOUSE BACK G
DOS DE LA BLOUSE
ESPALDA DE LA BLUSA
COSTAS DA BLUSA

Lengthwise of fabric

Cut 2
Coupez 2
Córtense 2
Corte 2

Center Back
Milieu du dos
Centro de atrás
Centro das costas

1/4" (6mm.) Seam

3/8" (1cm.)

McCALL'S
6317
Doll 11 1/2"-12"
42
PART F
CEINTURE
CINTURON
CINTO

Lengthwise of fabric

Cut 1
Coupez 1
Córtese 1
Corte 1

1/4" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida

McCALL'S
6317
Doll 11½"-12"

47

SKIRT G
JUPE
FALDA
SAIA

Cut 1
Coupez 1
Córtese 1
Corte 1

Center Back
Milieu du dos
Centro de atrás
Centro das costas

1

Center Front
Milieu du devant
Centro del frente
Centro da frente

Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda

Center Back
Milieu du dos
Centro de atrás
Centro das costas

1

¼" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida

McCALL'S
6317
Doll 18"-19"

48

SKIRT G
JUPE
FALDA
SAIA

Cut 1
Coupez 1
Córtese 1
Corte 1

1

Center Back
Milieu du dos
Centro de espalda
Centro das costas

Center Front
Milieu du devant

1/4" (6mm.) Seam allowance

This piece continued on next page.

Center Front

Milieu du devant
Centro del frente
Centro da frente

Lengthwise grain of fabric

Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda

Center Back

Milieu du dos
Centro de atrás
Centro das costas

McCALL'S
6317
Doll 11½"-12"
52
SLEEVE G
MANCHE
MANGA
MANGA
Lengthwise of fabric
Cut 2
Coupez 2
Córtense 2
Corte 2
¼" (6mm.) Seam allowance
5

50
BACK G
DOS
ATRAS
COSTAS
McCALL'S
6317
Doll 11½"-12"
Center Back. Place on fold
¼" (6mm.)
7
6

McCALL'S
6317
Doll 11½"-12"
FRONT G
DEVANT
DELANTERA
FRENTE
49
Lengthwise of fabric
Cut 2
Coupez 2
Córtense 2
Corte 2
Dart
Punch point
Pence
Center Back
¼" (6mm.) Seam allowance
5
4
6
7

¼" (6mm.) Seam
Lengthwise of fabric
4
51
Cut 2
Coupez 2
Córtense 2
Corte 2
Doll 11½"-12"
FACING G
McCALL'S
6317
Center Back
3

McCALL'S
6317
Doll 18"-19"

54

BACK G
DOS
ATRAS
COSTAS

Center Back. Place on fold
Milieu du dos—Placez sur le pli
Centro de atrás—Colóquese sobre el doblez
Centro das costas. Coloque sobre a prega

1

6

¼" (6mm.)

McCALL'S
6317
Doll 18"-19"

53

FRONT G
DEVANT
DELANTERA
FRENTE

Cut 2
Coupez 2
Córtense 2
Corte 2

Lengthwise grain of fabric
Tissu dans la longueur
Largo de la tela
Comprimento da direção da fazenda

Dart
Pince
Cuchillo
Pence

Center Back
Milieu du dos
Centro de atrás
Centro das costas

1
2
4
5
6

¼" (6mm.) Seam allowance

McCALL'S
6317
Doll 18" - 19"
55
FACING G
FAUX-OURLET
REFUERZO
REFORÇO
Cut 2
Coupez 2
Córtense 2
Corte 2
Center Back
1/4" (6mm.)
Lengthwise of fabric

McCALL'S
6317
Doll 18" - 19"
56
SLEEVE G
MANCHE
MANGA
MANGA
Cut 2
Coupez 2
Córtense 2
Corte 2
1/4" (6mm.) Seam allowance
Lengthwise of fabric