www.kubik.in

KUBIK
Discoverluxury

KUBOZ ARC PVT.LTD.

Mumbai - Head Office
Unit No. - 410, 411 The Avenue Society,
International Airport Road, Next to
Waterstones Hotel, Marol, Andheri (E),
Mumbai - 400059, Maharashtra.
Mob.:- +91 83568 34100

Bengaluru
No.424, 2nd floor, Above HDFC Bank,
Passport Office Road, 6th Block,
Kormangala, Bangaluru - 5600034.

Chandigarh (Experience Center)
Window World, Plot No.13,
MK Technology Park,
Kharar Banur Road,
Mohali - 140306.

Delhi
1/122, W.H.S., Kirti Nagar,
Delhi - 110015.

Pune (Experience Center)
Amco, B-56, New Timber Market,
Bhavani Peth, Opp Jain Temple,
Pune 411042.

Pune
Office No.14, Survey No.5,
Aditya Shagun Mall, Bavdhan,
Pune - 411021.

Vadodara
2nd Floor, 211 Kanha Capital,
Opp. Express Hotel, R C Dutt Road,
Alkapuri, Vadodara, Gujarat.

Factory
Unit 1 & Unit 2, JD Patil Compound,
Next to Suraksha Marine at Village
Poman Taluka, Vasai (E),
Palghar - 410208.

Follow Us

© Copyright @ March 2026, KCAT-001, Edition-1, Kuboz Arc Pvt. Ltd.

KUBIK
Discoverluxury

Spotlight



For over a decade, **KUBIK** has been at the forefront of innovation in architectural partition systems, driven by a commitment to superior design, quality materials, and precision manufacturing. Since its inception, KUBIK has successfully designed, manufactured, and installed premium partition solutions in some of the most prestigious architectural and interior projects across India.

Born out of a passion for creating products that meet **international standards of quality, functionality, and aesthetics**, KUBIK continues to redefine interior spaces through innovation and craftsmanship.

KUBIK Partition Systems are intelligently engineered to meet the diverse needs of **corporate, commercial, healthcare, and banking environments**, offering exceptional flexibility in design and performance. Designed for **speed, precision, and ease of installation**, our unique extrusion profiles can be configured in countless combinations and seamlessly integrated with a wide variety of materials and finishes.

We take pride in continuously introducing **new designs and profiles**, reflecting our commitment to design innovation and customer satisfaction. KUBIK collaborates closely with **architects and designers** to customize solutions that bring their creative concepts to life. Each of our partition systems is designed for full compatibility with various door types, enabling the creation of spaces that are both **practical and stylish**.

Complementing our partition systems, **KUBIK Hardware** offers a premium range of door hardware that combines elegant design, versatility, and superior performance. Available in multiple styles and finishes, our hardware enhances both the functionality and aesthetics of every project.

Our in-house design team provides complete CAD and tender documentation support, while **our technical experts ensure smooth project execution** from concept to completion anywhere, anytime.

Our Mission
To serve our customers with **innovative and futuristic products** that enhance privacy, aesthetics, and value in the workplace - delivered with **compassion, dedication, and honesty**.

Our Vision
To be the **most preferred brand** for glass partitioning systems and related products by continually embracing: **Latest technology, Innovative design, Value engineering**

Our Core Values
- **Honesty** in commitment and work
- **Integrity** in service
- **Environmental responsibility** alongside professional excellence

Every **KUBIK** product reflects a dedication to
design innovation, material excellence, and technical precision.

Our mission is not just to create partitions but to
shape environments that inspire creativity, productivity, and connection.

KUBIK
Discoverluxury

Where Design Meets Precision.

DGP DEMOUNTABLE GLASS PARTITIONS | MOVABLE MW WALLS | MM MINIMALIST

KUBIK
Discoverluxury

CONTENT

MM MINIMALIST

INTEGRATED DOOR-WALL SYSTEMS —— 05

UNIWALL
PORTA LINO PD-PP
PORTA LINO PD-PB
PORTA LINO WD-BB
PORTA LINO GD-PG
PORTA LINO GD-BG

SLIDINGS —— 09

E-LINO SLIDO
Manual sliding
Pocket sliding

V-LINO SLIDO
Manual sliding
Pocket sliding

Z-LINO SLIDO
Manual sliding
Pocket sliding

X-LINO SLIDO
Manual sliding
Telescopic sliding
Synchro sliding
Automatic sliding
Pocket sliding

G-LINO SLIDO
Ghost sliding

SWING DOOR —— 14

E-LINO PORTA
Hinge
Pivot

V-LINO PORTA
Hinge
Pivot

Z-LINO PORTA
Hinge
Pivot
Hydraulic
Hydraulic 360°

X-LINO PORTA
Hinge
Hydraulic
Hydraulic 360°
Automatic
Automatic 360°

T-LINO PORTA
Hinge

GLAZING —— 17

E-LINO GLAZO
V-LINO GLAZO
Z-LINO GLAZO
X-LINO GLAZO

SLIDING FOLDING PARTITIONS —— 18

S-FOLD
C-FOLD
P-FOLD

EXTERIOR SLIDING FOLDING —— 19

SLIDO 45
SLIDO 50

SLIM 45 —— 20

SLIDING

ALUMINIUM SHOWER ENCLOSURE —— 21

V-LINO AQUA

STAINLESS STEEL SHOWER ENCLOUSER —— 22

AQUA SWING
AQUA SLIDE
AQUA GLIDE

WARDROBE SHUTTER —— 23

ULTRA LINO
MICRO LINO
UNI LINO
LUXE LINO

MOVABLE MW WALLS

ACOUSTIC MOVABLE WALLS —— 26

LITE-W65/W85/W100
PRO - W85/W100/G100
PRO SEMI - W85/W100
PRO MATIC-W85/W100

VERTICAL ACOUSTIC MOVABLE WALLS —— 29

NIU FOLD

DGP DEMOUNTABLE GLASS PARTITIONS


DEMOUNTABLE GLASS PARTITIONS —— 30

KUBIK 45
KUBIK 100
KUBIK DG 100
KUBIK WD 100
KALOS 54
STILE DOOR 35/60/75/75DG
SILENT POD
SENSORA - AUTOMATIC DOOR

COLOUR SHADES —— 39

GLASS TYPE —— 41

VARIANTS




Flat

Flat +

Flat divide

Flat Pane

Flat Hybrid




Flat Curv

Flat + Curv

Flat divide Curv

Flat Pane Curv

Flat Hybrid Curv




Arc

Arc +

Arc divide

Arc Pane

Arc Hybrid



Arc Curv


Arc + Curv

Arc divide Curv

Arc Pane Curv

Arc Hybrid Curv






UNIWALL

The **Uniwall** is an engineered storage system that blends aluminium, wood, and glass into a sleek yet sturdy framework.

Uniwall accommodates wardrobe arrangements, Decorative shelving, Personalized compartments & Adaptive storage solutions.






Porta lino-Wood door



- Porta lino-Wood door
- Textured Panel
- Laminate/veneer

Porta lino-Paint door



- Porta lino-Paint door
- 15mm gypsum/ CC board
- 1.5 to 2mm any kind of paint

Porta lino-Ceramic door




- Porta lino-Ceramic door
- 3 to 5mm ceramic tile


Porta lino-Glass door




- Porta lino-Glass door
- 8mm glass











PORTA LINO | PD-PP/PD-PB/WD-BB/GD-PG/GD-BG

The Integrated Door Wall System seamlessly connects indoor and outdoor spaces with sleek, modern design. Combining the functions of doors and walls, it offers unmatched flexibility and customization with various materials, finishes, and configurations. Perfect for residential, commercial or hospitality, this system elegantly blurs the line between inside and out.



Integrated Door-Wall Systems

Profile:



Technical Specification

- Door size: 1020mm x 3050mm
- Weight Upto - 250kg
- Smart Magnetic Lock with invisible key
- Hinges with Profile fitting are specially designed hinges that integrate seamlessly into specific profiles

Hardware:


MAGNOIS PS (Handle)



Door internal Structure mullion



ALINO (Hinge)



Door Types:
PD(Paint door), WD(Wood door), GD(Glass door).

Combination:
(PP: Paint-Paint, PB: Paint-Board, BB: Board-Board, GP: Glass-Paint, GB: Glass-Board)




SLIDING - MANUAL

E-Lino SLIDO | V-Lino SLIDO | Z-Lino SLIDO | X-Lino SLIDO



- High-end solution for interior glass partitions
- Seamless aesthetics and superior functionality.
- Minimal gap between the track and door, ensuring smooth, quiet operation

Profile:



Technical Specification

- Door width: 600mm to 1200mm
- Door height: Upto 3000mm
- Weight Capacity 80/120kg Sliding Handle with VBH Tape Available in Multiple finish

Hardware:

ESSYLIDIE 80/120 (Sliding)



CLIO 9 (Handle)




CLIO 7 (Handle)



DUDO (Handle)




SLYLOCK (Sliding lock)






SLIDING - POCKET

E-Lino SLIDO | V-Lino SLIDO | Z-Lino SLIDO | X-Lino SLIDO



- Elegant, space-maximizing solution for modern interiors
- Seamless wall integration to slide effortlessly into a hidden cavity
- Eliminating obstructions and maximizing floor space

Profile:




Technical Specification

- Door width: 600mm to 1200mm
- Door height: Upto 3000mm
- Weight Capacity 80/120kg Sliding Handle with VBH Tape Available in Multiple finish

Hardware:

ESSYLIDIE (Sliding)




CLIO 9 (Handle)



CLIO 7 (Handle)



SLYLOCK (Sliding lock)






SLIDING – TELESCOPIC

SLIDO




- Premium solution offering a sleek, space-saving, and synchronized movement
- This system features telescopic sliding options, allowing for expansive openings even in compact spaces
- With 1+1 and 1+2 panel configurations, users can maximize the width of the opening while maintaining a seamless and uniform look

Profile:



Vertical Profile

Glass Thickness
8mm To 13mm



Horizontal Profile


Glass Thickness
8mm To 13mm

Technical Specification

- Door width: 600mm to 1200mm
- Door height: Upto 3000mm
- Weight Capacity 80/120kg Sliding Handle with VBH Tape Available in Multiple finish

Hardware:

ESSYLIDIE 80/120 (Sliding)




CLIO 7 (Handle)




DUDO (Handle)




SLYLOCK (Sliding lock)





SLIDING – SYNCHRO

SLIDO




- Synchro sliding is a designer's favourite, offering elegance, versatility, and functionality for modern interior spaces
- This system features telescopic sliding options, allowing for expansive openings even in compact spaces
- With 1+1 and 1+2 panel configurations, users can maximize the width of the opening while maintaining a seamless and uniform look

Profile:



Vertical Profile

Glass Thickness
8mm To 13mm



Horizontal Profile


Glass Thickness
8mm To 13mm

Technical Specification

- Door width: 600mm to 1200mm
- Door height: Upto 3000mm
- Weight Capacity 80/120kg Sliding Handle with VBH Tape Available in Multiple finish

Hardware:

ESSYLIDIE 80/120 (Sliding)




CLIO 7 (Handle)



DUDO (Handle)



SLYLOCK (Sliding lock)





SLIDING – GHOST

g-lino
SLIDO


Sliding Solution


The G-Lino Slido Ghost Sliding System is an exclusive, ultra-modern sliding door solution designed for glass partitions in interior spaces. Featuring a double-glazed sliding system, it offers enhanced sound insulation, durability, and a premium aesthetic appeal.

This system is engineered with minimal gaps between the track and door, ensuring a sleek, uninterrupted look. The flush ceiling integration further enhances the seamless and minimalist design, making it a perfect fit for luxury interiors, modern offices, and high-end residences.


The G-Lino Slido Ghost Sliding System is the ultimate combination of sophistication and functionality, delivering a high-end, seamless sliding experience while maintaining privacy, style, and elegance.

Profile:

GHOST Sliding



Hardware:



Technical Specification

- Ghost Sliding with Aluminium Frame Door System
- Max Height - 2.8 Mtr
- Max Width - 1.2 Mtr
- Available in Multiple finish




SWING DOOR

E-lino PORTA | V-lino PORTA | L-lino PORTA | M-lino PORTA | T-lino PORTA | **Hinge / Pivot**


Swing Door

- Swing door system for a transparent or a solid finish look & feel
- Designed for creating a glass and solid finish in single door
- These glazed doors are designed to give an offset look with the adjacent walls.


Profile:



Technical Specification

- Door width: Upto 1200mm
- Door height: Upto 3000mm
- Weight Capacity: 80/120kg
  Available in Multiple finish

Hardware:





SWING DOOR

Hydraulic PD, Hydraulic PD 360°



- Sleek, Modern & Versatile Hydraulic Swing Door Solution
- The Hydraulic PD & Hydraulic PD 360° options provide enhanced flexibility, allowing for single-direction or full 360° rotation.
- Hydraulic pivot technology to enable smooth, self-closing, and controlled movement with precision-engineered hardware.

Profile:



Technical Specification

- Door width: Upto 1800mm
- Door height: Upto 3600mm
- Weight Capacity: 75/150kg

Available in Multiple finish

Hardware:

PIVOTIX ROTO 75/150



PIVOTIX 75/150






SWING DOOR

Automatic PD, Automatic PD 360°



- Advanced, Automated and Elegant Swing Door Solution
- Automatic Swing Door System is a state-of-the-art automated pivot door solution designed for luxury interiors, and modern living spaces
- This system integrates PIVOMETIC automation technology, ensuring smooth, hands-free operation with precision control.

Profile:




Technical Specification

- Door width: Upto 1800mm
- Door height: Upto 4000mm
- Weight Capacity: 300kg

Available in Multiple finish

Hardware:

PIVOMETIC





GLAZING


E-lino GLAZO | v-lino GLAZO | r-lino GLAZO | x-lino GLAZO



Partition Solutions

- Minimalist Framed Sliding Doors for Elegant Interiors
- Minimalist Aesthetic: Thin-profile frames enhance modern interior appeal
- The Glazing System combines aesthetic with high-performance engineering, making it the perfect choice for premium interior spaces.

Profile:




Glass Thickness 8mm To 13mm | Glass Thickness 8mm To 9mm | Glass Thickness 5mm | Glass Thickness 8mm To 13mm

Technical Specification

No screw visible
On-site flexibility
Thermal & Sound Insulation
Aligned glazing with door
Available in Multiple finish

Hardware:

MAGNOIS E/Z/X (Lock)



DUDO (Handle)



SUDO (Handle)



SPINLOK (Swing Lock)



DOSTO (Door Stopper)





SLIDING FOLDING PARTITIONS


S FOLD | C FOLD | P FOLD



Sliding & Folding Solutions

The Kubik Side Sliding Folding system, with hinges incorporated on top and bottom profile of the panels, so as to move all the panels just by pulling one of the panels with the help of the handle. The roller wheels are coated with nylon to ensure noiseless and easy operation. It allows large rooms to be divided to maximize space utilization. Fully integrated double locking system.

Profile:



Technical Specification

- Type S Fold/C Fold/P FOLD
- Glass thickness: 10mm toughen
- Max height : Upto 3100mm
- Max width: 500mm - 1000mm
- profile height : 54/112mm
- Maximum panel weight: 90kg - 150kg
- Available finish: Silver anodized /Black anodized or any customized RAL, wooden finishes

Hardware:

ROLLER



GLASS DOOR KNOB



GLASS DOOR HINGE



GLASS DOOR HINGE



GLASS DOOR HANDLE





EXTERIOR SLIDING PARTITIONS

SLIDOFOLD 45/50




Sliding & Folding Solutions

FRAMELESS FOLDING GLASS WINDOW / GLASS DOOR

- Strong frameless folding system with the latest structure design as a balcony glazing system.
- The rollers function smoothly irrespective of the load

Profile:



Technical Specification

- Glass Options: 10mm and 12mm
- Maximum width: 850mm
- Maximum width: 2800mm
- Safety: Nylon protection caps on glass profiles


Hardware:

ROLLER



ROLLER






SLIM 45

The 16 × 45 Slim Profile Is Designed To Offer A Minimal And Elegant Solution Where Reduced Visual Impact Is Essential. Its Compact Dimensions Ensure Maximum Space Optimization While Maintaining Structural Strength And Smooth Functionality. The Slim Profile Integrates Seamlessly With Modern Architectural Systems And Is Compatible With Standard Fittings Used By Leading Manufacturers.

Synchronized Sliding Fitting Roller, (2+2) 2-slide Panel 2=fix Glass Panel. Match With Customer Top Track And Frame Profile, Match With The High One Hanging Plate, Weight Capacity Is 120kg




Sliding Solution

Profile:



SLIDING TRACK



VERTICAL SLIDING PROFILE

Technical Specification

- Glass thickness: 8 to 10mm
- Panel height: Upto 3 Mtr
- Panel width: Upto 1200mm

Hardware:

HANDLE



HANDLE with LOCK



HANDLE with LOCK



CONNECTOR





ALUMINIUM SHOWER ENCLOSURE


v-lino aqua



Shower Cubical

- Customized aluminium shower enclosure in a sleek 8mm design
- Glass options are available in 8mm and 10mm thicknesses
- Shower Handle One side Knob, One side handle Size 450mm

Profile:



Glass Thickness
8mm To 9mm

Divider profile

Door frame


135° Profile

Technical Specification


- Elegance conceal pivot
- Hidden magnetic locking
- Available in Multiple finish

Hardware:

INVIZI (Pivot)



RIVO (Hinge)




SHOWER HANDLE




MAGNET





SS SHOWER ENCLOSURE

aqua swing | aqua slide | aqua glide



Shower Cubical

- Customized stainless steel shower enclosure in a sleek 10mm design
- Glass option are available in 8mm and 10mm thicknesses
- Shower Handle One side Knob, One side handle Size 450mm

Profile:



Technical Specification

- Elegance conceal pivot
- Hidden magnetic locking
- Available in Multiple finish

Hardware:

SHOWER HANDLE
(Aqua Swing)



SHOWER HANDLE
(Aqua Slide)



SHOWER HANDLE
(Aqua Glide)



MAGNET





WARDROBE SHUTTER


micro lino | ultra lino



Wardrobe Doors

Enhance your designs with wardrobe shutters that combine style, functionality, and durability. Our customizable solutions, seamlessly integrate into any architectural vision. Engineered for smooth operation and long-lasting performance, they offer the perfect balance of aesthetics and practicality for modern spaces.

Profile:




Technical Specification

- Height Upto 3000mm
- Weight Upto 30kg
- Available in Multiple finish

Hardware:

VAO AIR (Hinge)



VAO+ AIR (Hinge)



ARIO (Handle)





WARDROBE SHUTTER


uni lino



Wardrobe Doors

Built-in wardrobes enhance storage without breaking visual flow
Upgrade your designs with stylish, durable wardrobe shutters that blend seamlessly into any space.
Engineered for smooth operation and lasting performance, they balance aesthetics and practicality.

Profile:




Technical Specification

- Height: 1600-2700mm
- Depth: 340-600mm
- Width: 300-1200mm
- Material: Melamine-coated wood board, aluminum, leather
- Optional lighting with transformer integration

Hardware:

HINGE



HANDLE





WARDROBE SHUTTER


LuxE Lino



Wardrobe Doors

Enhance your designs with wardrobe shutters that combine style, functionality, and durability. Our customizable solutions, seamlessly integrate into any architectural vision. Engineered for smooth operation and long-lasting performance, they offer the perfect balance of aesthetics and practicality for modern spaces.

Profile:




Technical Specification


- Pivot concealed hinge for Invisible-aluminum frame door
- 2 hinges Max. loading capacity 30kg
- Max. door size: Height 3600mm, width 500mm
- Opening 100°, integrated silent close system

Hardware:

HINGES



HANDLE





ACOUSTIC MOVABLE WALLS

KUBIK LITE



Acoustic Partitions

The Acoustic W100/85/65 LITE is a range of high-performance & aesthetically pleasing acoustic movable walls, used to create maximum flexible space division in offices, meeting rooms, schools, colleges, hotel conferences & function suites. It consists of individually operated top hung panels requiring no floor tracks. It can provide sound insulation of 35 dB to 50 dB, and the height of the walls can be up to 12mtr. Single or double pass -doors can be integrated.

Profile:



Technical Specification

- Type: Acoustic 100/85/65
- Panel Thickness: 100/65/85mm
- Panel Height: 1800mm - 12000mm
- Panel Width: 600mm - 2000mm
- Frame Construction: Aluminium/MS Steel
- Surface Board: 9mm/12mm/16mm
- Vertical Profiles: Anodized aluminium w/magnetic strips
- Horizontal Profiles: Silver aluminum/EPDM
- Doors: Single or Double
- Acoustic Rating: 35 dB - 50dB

Hardware:

ROLLER











ACOUSTIC MOVABLE WALLS

KUBIK PRO W85/100

The Acoustic 85/100 movable wall system can create silence with a panel thickness of only 107mm. It is extremely easy to operate and completely user-friendly. There are no limits on parking layouts and countless design surfaces to choose from. As with the name, Acoustic 85/100 can provide sound insulation of 46 dB to 55 dB. The height of walls can be up to 15 meters. The standard panel width is 1200mm, but the wide panels of more than 2000mm are often produced on special request without any problem.

Technical Specification

- Panel Thickness: 85mm/107mm
- Panel Height: 1800mm - 15000mm
- Panel Width: 600mm - 2000mm
- Frame Construction: Aluminium/MS Steel
- Surface Board: 12mm/16mm MDF
- Vertical Profiles: Anodized aluminium w/magnetic strips
- Horizontal Profiles: Silver aluminum/EPDM
- Doors: Single or Double
- Acoustic Rating: 46 dB - 55dB

KUBIK PRO G85/100



The Acoustic 85/100 Glass movable wall system can create silence with a panel thickness of only 85mm. It is extremely easy to operate and completely user-friendly. There are no limits on parking layouts and countless design surfaces to choose from. As with the name, Acoustic 85/100 can provide sound insulation of 35 dB to 44 dB. The height of walls can be up to 6 meters. The standard panel width is 1200mm, but the wide panels of more than 2000mm are often produced on special request without any problem.

Technical Specification

- Panel Thickness: 85mm/107mm
- Panel Height: 1800mm - 4500mm
- Panel Width: 600mm - 1200mm
- Frame Construction: Aluminium/MS Steel/Ply
- Surface Board: 10mm glass
- Vertical Profiles: Anodized aluminium In tongue and groove design
- Horizontal Profiles: Silver/Black aluminum/EPDM
- Doors: Not available
- Acoustic Rating: 35 dB - 44dB

ACOUSTIC MOVABLE WALLS

PRO SEMI

The Pro/Lite Semi Smart movable wall system is the best solution for offices and places where the number of panels is more and requires sophisticated and easy push-button action to retract and open the retractable panels at the push of a button.

Technical Specification

- Panel Thickness: 85mm/107mm
- Panel Height: 1800mm - 15000mm
- Panel Width: 600mm - 1000mm
- Frame Construction: Aluminium/MS Steel
- Surface Board: 12mm/16mm MDF
- Vertical Profiles: Anodized aluminium w/magnetic strips
- Horizontal Profiles: Silver aluminum/EPDM
- Doors: Single or Double
- Acoustic Rating: 46 dB - 55dB

PRO MATIC



The Pro/Lite Auto Smart series of Kubik moves and parks itself on its own with just a touch of a button for ease, and it comes with collision detection for the safety. It comes in different parking configurations and options for clients to choose from.

Technical Specification

- Panel Thickness: 85mm/107mm
- Panel Height: 1800mm - 15000mm
- Panel Width: 600mm - 1000mm
- Frame Construction: Aluminium/MS Steel
- Surface Board: 12mm/16mm MDF
- Vertical Profiles: Anodized aluminium w/magnetic strips
- Horizontal Profiles: Silver aluminum/EPDM
- Doors: Single or Double
- Acoustic Rating: 46 dB - 55dB



VERTICAL ACOUSTIC MOVABLE WALLS

NIU FOLD





Vertical folding Solutions

CUSTOM POWERLIFT ACOUSTIC VERTICAL WALL PARTITIONING SYSTEM

This system is radically different from traditional operable wall systems. NIUFOLD is fully automated. A simple turnkey operation retracts the partition quietly and effortlessly into the ceiling. Its automated design eliminates the need for manual labour to operate the walls and ensures that the acoustic rating of the wall is maintained as originally intended.

NIUFOLD has exceptional acoustical performance with a sound insulation rating of 58dB to 62dB, while remaining lightweight. At approximately 40 Kilograms per square meter compared to traditional operable wall partitions with the same sound insulation rating weighing 55 kilograms per square meter, NIUFOLD contributes to substantial savings in structural steel cost.





DEMOUNTABLE GLASS PARTITIONS

KUBIK 45



Partition Solutions


RELAXING ATMOSPHERE OFFICE SPACE

The KUBIK 45 Demountable Office Partition is a superior lightweight profile system.
It is based on a 45mm x 25mm glazing seal and bead with a selection of door frame options.
KUBIK 45 frames provide an elegant and cost-effective design solution.

Technical Specification

- Standard track section : 45mm x 25mm
- Slim in design, the standard partition suite can be used with any stud thickness
- Suitable for 10mm/12mm toughened glass as well as 10.52mm/12.52mm laminated glass
- Single door frame sizes to allow for flush door 35mm
- Partition height can be offered up to 3000mm
- Single glazed systems
- Sound insulation capacity of 28-32 dB





DEMOUNTABLE GLASS PARTITIONS

KUBIK 100


Partition Solutions

ELEGANT GLASS PARTITION FOR MAXIMUM TRANSPARENCY

The KUBIK 100 demountable office partition is another superior range of KUBIK products that has a proven track record. It is based on a 100mm x 25mm glazing seal and bead with a selection of door frame options.

Technical Specification

- Standard track section : 100mm x 25mm
- Slim in design, the standard partition suite can be used with any stud thickness
- Suitable for 10mm / 12mm toughened glass as well as 10.52mm/12.52mm laminated glass
- Single door frame sizes to allow for flush door 35mm or 45mm
- Partition height can be offered up to 3000mm
- Single glazed systems
- Sound insulation capacity of 32 - 34 dB





DEMOUNTABLE GLASS PARTITIONS

KUBIK DG 100

Partition Solutions

OPTIMUM TRANSPARENCY WHILE MAINTAINING PRIVACY

The KUBIK DG 100 demountable office partition provides excellent acoustic values. It is based on a 100mm x 25mm double glazing seal and bead with a selection of door frame options.

Technical Specification

- Standard track section : 100mm x 25mm
- Slim in design, the standard partition suite can be used with any stud thickness
- Suitable for 10mm / 12mm toughened glass as well as 10.52mm / 12.52mm laminated glass
- Single door frame sizes to allow for flush door 35mm or 45mm
- Partition height can be offered up to 3000mm
- Single glazed systems
- Sound Insulation capacity of 46 - 49 dB





DEMOUNTABLE GLASS PARTITIONS

KUBIK WD 100

Partition Solutions

CONTEMPORARY WORKING SPACE WITH FOCUS SS PANEL

When superior stability and practicability is required by the client, one can be rest assured by using none other than SS panel. This combination is simple and tough. The powerful modular assembly mode, as per various office areas using multiple combination in design style, will let you be in a safe environment, fully enjoyable for work.

Technical Specification

- Demountable glass partition, 100mm thick
- Maximum height: 3000mm (depending on elevations) For bigger heights, reinforcement of the structure required
- Aluminium profiles: Silver/Black anodized or RAL powder-coated
- Any configuration possible: Full height, segmented, segmented at door height, multi-transoms, etc
- Constant groove of 25mm





DEMOUNTABLE GLASS PARTITIONS

KALOS 54


Partition Solutions

PURE IN DESIGN WITH MULTIPLE OPTIONS

The excellent acoustic performance aesthetic appeal and adaptability of KALOS 54 make it one of our most promised systems. In its single glazed from the glazing can be easily convert into Offset glazed or Double glazed, to suit the desired aesthetic or acoustic need without altering the base section of KALOS 54

Technical Specification

- Standard track section : 54mm x 25mm.
- Slim in design, the standard partition suit can be used with any stud thickness.
- Suitable for 10mm/12mm toughened glass as well as 10.52mm/12.52mm laminated.
- Single door frame sizes to allow for 35mm or 45mm doors.
- Partition height can be offered upto 3000mm.
- Single glazed / Double glazed & Offset glazed systems.
- Sound insulation capacity of 46 - 52 dB on Double glazed system & 45 - 50 dB on single glazed system & offset glazed system 32-36 dB.











DEMOUNTABLE GLASS PARTITIONS

STILE 35

35mm x 45mm

STILE 35 – FRAME GLASS DOOR

Technical Specification

- Slimmest door ever
- Face visibility 20mm
- Total size 35mm x 45mm
- Rebated door flushed with the door frame
- With invisible pivot option
- Smallest drop seal compatible
- Unique glass lock with german technology releaser
- Noiseless magnetic lock
- Door closer compatible
- Available in 2 colour with ready stock
- Specially engineered lock body cover
- Ergonomic handle & slimmest key hole

STILE 60

60mm x 35mm

Partition Solutions

STILE 60 – FRAME GLASS DOOR

Technical Specification

- Frame glass door - series 60
- Various glass type available
- Compatible to European hardware
- Open door closer is also applicable
- Suitable at heavy flow of traffic area

DEMOUNTABLE GLASS PARTITIONS

STILE 75

75mm x 45mm

STILE 75 – FRAME GLASS DOOR

Technical Specification

- Frame glass door - series 75
- Various glass type available
- Compatible to European hardware
- Concealed door closer for better aesthetic
- High acoustic level performance

STILE 75 DG

75mm x 45mm

Partition Solutions

STILE 75 – FRAME DOUBLE GLASS DOOR

Technical Specification


- Frame double glass door
- series 75 DG - To 5mm glass combination
- Compatible to European hardware
- Concealed door closer for better aesthetic
- High acoustic level performance
- Doors are cut in 45 degree metre joint for batter aesthetics.



SILENT POD


SP 300

The meeting space 300 is an ideal solution for meeting, casual conversations brainstorming and can comfortably accommodate up to 5 to 6 people. There is dual glaze 6 mm glass on the glass side which contributes to the total acoustic insulation and provides a see through from the inside of the room.



The door of the SilentPod is installed with magnetic lock and there isn't a need to close and twist the handle manually.

The magnet locks the door automatically with magnetic force of attraction when the door is pulled to close.







SENSORA

SENSORA – AUTOMATIC DOOR



Automatic Door

Glass automatic doors are a modern solution widely used in commercial buildings, hospitals, airports, and retail spaces. Designed for convenience and efficiency, these doors open and close automatically using motion sensors, push buttons, or access control systems. Their transparent glass panels provide a sleek, contemporary look while allowing natural light to pass through, creating a bright and welcoming entrance.

Profile:



VERTICAL PROFILE



T & B PROFILE

Technical Specification

- Glass Thickness: Only 12mm
- Door Leaf Weight: Max 2*140 Kg
- Door Leaf width: 500-2000mm
- Opening Speed: 10-55cm/s (Adjustable)
- Manual Open Force : <40N

Hardware:

BIOMETRIC MACHINE



REMOTE



PUSH SWITCH



SENSOR





HANGERS




COLOUR SHADES


ANO


Honey Gold Brush



Rose Gold Glossy


Black Matt


NANO



Terracotta Grey


Rose Gold



Hermes Orange


Cashmere Grey



Plain Grey


Carbon Steel



Champagne Gold


Goddess pink


Metal Ash



Elegant Red



Angora grey



Matt black



Pure White



Moonlight Silver



Glazed Gold


Jaspe


Sky Blue



Elegant Green



Coffee


Matte red

The printed colors indicating the surface finishes are for illustration purpose only.


LAMI



Atelier Kit


Atelier Kit



Atelier Kit



Atelier Kit



Atelier Kit


Atelier Kit

LEATHER



Atelier Kit


Atelier Kit


Atelier Kit



Atelier Kit


Atelier Kit



Atelier Kit

PVD


Bronze Hairline


Nickel Hairline


SS Mirror


Champagne Mirror


Bronze Mirror

Nickel Mirror

Select From our Atelier Finish Kit

GLASS TYPE

KUBIK
Discoverluxury




CLEAR GLASS



ACIDATED GLASS



REFLECTIVE GLASS




MIRRORED GLASS



GLOSSY BACK-PAINTED GLASS



SATINIZED BACK-PAINTED GLASS



TEXTURED GLASS



MULTI-LAYERED GLASS WITH MESH



MULTI-LAYERED WITH FABRICS