

Full Line Catalog

Automotive · Industrial · Aviation · Marine

1 About FBS

Established in 1987, FBS Distribution Co. Inc. has steadily grown to become a prominent manufacturer and supplier of specialty hand sprayers, tools, masking products, and coveralls for the automotive, industrial, marine, and aviation industries throughout North America. Over the years, our dedication to innovation and quality has positioned us as a trusted partner for a diverse range of clients.

Our client base spans large distribution groups to independent distributors, reflecting our commitment to catering to the unique needs of various businesses. Whether it's a major industry player or a small enterprise, we ensure that each client receives the highest level of service and products that meet stringent quality standards.

At FBS Distribution, we believe that excellence is achieved through collaboration and precision. Our partnerships with top-tier manufacturers in Germany and other parts of Europe enable us to source and deliver products that are synonymous with durability and performance. These relationships are built on a shared commitment to maintaining rigorous quality control measures, ensuring that every product we offer meets the highest standards of reliability and safety.

Quality assurance is at the heart of everything we do. We employ a comprehensive quality management system that encompasses every stage of the manufacturing process, from initial design to final delivery. This meticulous approach guarantees that our products not only meet but often exceed industry expectations.

Our product range is designed to address the specific challenges of the sectors we serve. Our masking products and hand sprayers contribute to flawless finishes and efficient processes, while our tools and coveralls provide durability and protection in demanding environments.

As we look to the future, FBS Distribution remains committed to innovation and continuous improvement. We are constantly exploring new technologies and materials to enhance our product offerings, ensuring that we stay ahead of industry trends and continue to provide our clients with cutting-edge solutions.



2 Table of Contents

3 ..... FINELINE TAPES


5 ..... TAPES & MASKERS

9 ..... SPRAYERS

11 ..... TOOLS & ACCESSORIES

13 ..... SURFACE PROTECTION MATERIAL

14 ..... COVERALLS



3 ProBand Fineline Tapes

Professional tapes for Solvent & Waterborne paint

Back to top


ProBand Fineline Red • *for Waterborne & Solvent paints*



- Temp. resistance 1h/130° C (266° F)
- UV-resistance: **limited**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- Rigidity: **extra soft**
- Thickness: **105 microns**

SKU	SIZE	ROLLS
48475	1/16" x 60 yds.	12/box
48480	1/8" x 60 yds.	12/box
48485	1/4" x 60 yds.	12/box
48490	1/2" x 60 yds.	6/box

ProBand Fineline Blue • *for Waterborne & Solvent paints*



- Temp. resistance 1h/130° C (266° F)
- UV-resistance: **limited**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- Rigidity: **medium soft**
- Thickness: **105 microns**

SKU	SIZE	ROLLS
48675	1/16" x 60 yds.	12/box
48680	1/8" x 60 yds.	12/box
48685	1/4" x 60 yds.	12/box
48690	1/2" x 60 yds.	6/box

ProBand Fineline Green • *for Solvent paints*



- Temp. resistance 1h/130° C (266° F)
- UV-resistance: **limited**
- Waterborne resistance: **limited**
- Solvent resistance: **excellent**
- Rigidity: **soft**
- Thickness: **140 microns**

SKU	SIZE	ROLLS
48505	1/16" x 60 yds.	12/box
48510	1/8" x 60 yds.	12/box
48520	1/4" x 60 yds.	12/box
48530	1/2" x 60 yds.	6/box

ProBand Fineline Orange • *for Solvent paints*



- Temp. resistance 1h/130° C (266° F)
- UV-resistance: **limited**
- Waterborne resistance: **limited**
- Solvent resistance: **excellent**
- Rigidity: **medium**
- Thickness: **140 microns**

SKU	SIZE	ROLLS
48405	1/16" x 60 yds.	12/box
48410	1/8" x 60 yds.	12/box
48420	1/4" x 60 yds.	12/box
48430	1/2" x 60 yds.	6/box
48440	3/4" x 60 yds.	5/box

4 Mixed Tape Packs

The smart way to stock up on fineline tapes

Back to top




SKU	ROLLS	QTY
48981	All 1/8" fineline tapes + 1 roll 3/4" K-UTG gold tape	5 rolls/box
48982	All 1/4" fineline tapes + 1 roll 3/4" K-UTG gold tape	5 rolls/box
48983	All sizes orange fineline + 1 roll 3/4" K-UTG gold tape	5 rolls/box
48984	All sizes green fineline + 1 roll 3/4" K-UTG gold tape	5 rolls/box
48985	All sizes red fineline + 1 roll 3/4" K-UTG gold tape	5 rolls/box
48986	All sizes blue fineline + 1 roll 3/4" K-UTG gold tape	5 rolls/box
48988	1/4", 1/2" & 2" K-UTG gold tape	3 rolls/box









Fineline Tech Tips

1 *To keep the tape's width consistent without over-stretching, Pull enough tape off the roll to work with, and do not move your guide finger while unrolling.*

2 *Through tight turns and curves, let the tape flow by itself. Fineline tapes are made specially to wrap around contours with minimal effort.*

3 *When cutting out designs, apply light force. Fineline tapes are softer than other tapes, allowing for the perfect cut.*

4 *Always seal the edges to prevent paint seepage and bleed through.*

5 *Apply the tape at ambient (68°- 78°F / 21°- 24°C) temperature. Extreme cold will shrink it, and extreme heat will expand it.*

5 Crepe Paper Tapes

Specialty tapes made for the finest detail jobs

Back to top

K-UTG Gold Tape • *for Masking on Difficult Surfaces*



Extremely thin, semi-translucent tape with heat & UV resistant acrylic adhesive. Tape can be lifted and repositioned without leaving any residue. Ideal for work on difficult surfaces, two-toning, color separation, airbrushing, as well as other production and custom painting applications.

- Temp. resistance 1h/100° C (212° F)
- UV-resistance: **up to 6 months**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- µ Thickness: **100 microns**

SKU	SIZE	ROLLS
48063	1/4" x 55 yds.	12/box
48064	1/2" x 55 yds.	12/box
48060	3/4" x 55 yds.	12/box
48065	1" x 55 yds.	10/box
48080	2" x 55 yds.	5/box
48090	3" x 55 yds.	3/box

PT43 Performance Tape & Micro Tape • *Premium Quality Crepe Fineline*



PT43 is a single coated crepe paper stabilized with cross linked rubber based adhesive. It has a very sharp lacquer edge for exact color separation while painting long, straight lines.

The tape is flexible for design work in curves, radius areas, and on uneven surfaces such as guitars, helmets, miniature model cars, boats, airplanes etc...

- Temp. resistance 1h/175° C (347° F)
- UV-resistance: **limited**
- Waterborne resistance: **limited**
- Solvent resistance: **excellent**
- µ Thickness: **140 microns**

SKU	SIZE	ROLLS
48702	1/32" x 28 yds.	12/box
48705	1/16" x 55 yds.	12/box
48710	1/8" x 55 yds.	12/box
48720	1/4" x 55 yds.	12/box
48730	1/2" x 55 yds.	6/box

K-TM21 Trim Edge Tape • *Perforated and Silicone Free*



K-TM21 is a high quality precision masking tape with a built-in plastic insert strip. It is ideal for applications with flush mounted seals, mouldings around car windows & glass, and headlights or taillights.

- Temp. resistance 1h/150° C (302° F)
- UV-resistance: **limited**
- Waterborne resistance: **limited**
- Solvent resistance: **limited**
- µ Thickness: **150 microns**

SKU	SIZE	ROLLS
48321	(3/8") 2" x 33 yds.	6/box

6 Production Masking Tapes

Precision maskers for fast and efficient paint work

Back to top

Custom Refinish Tape • *Professional Quality*



Semi-transparent, low profile masking tape with excellent handling & cornering, clean paint lines, and no adhesive transfer or residue. Provides secure adhesion to both painted & bare metals, plastics and other surfaces. Resists paint flaking from the top side.

- Temp. resistance 1h/100° C (212° F)
- UV-resistance: **limited**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- µ Thickness: **110 microns**

Perfect for custom paint work, masking around graphics & detail work, and with a low profile at only 110 microns, it creates less paint build than other similar tapes.

SKU	SIZE	ROLLS
48018	3/4" x 55 yds.	48/box
48036	1½" x 55 yds.	24/box

Premium Production Tape • *Premium Quality*



Professional quality, smooth creped, masking tape with natural rubber, heat resistant adhesive for production application. Excellent handling & cornering, clean paint lines with no adhesive transfer or residue.

- Temp. resistance 1h/100° C (212° F)
- UV-resistance: **limited**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- µ Thickness: **150 microns**

Good resistance to humidity, solvent & waterborne base coats. Ideal for variable temperature applications.

Recommended for professional body work and protective masking applications in automotive, industrial, aviation & marine industries.

SKU	SIZE	ROLLS
48150	3/4" x 55 yds.	48/box
48160	1½" x 55 yds.	24/box

Guide Tape • *Precision for Pinstriping*



FBS ProBand Guide Tape is a double laminated, flexible foam tape with a raised edge, ideal for use as a guide when pinstriping, aligning emblems, decals, and more.

- Temp. resistance 1h/100° C (212° F)
- UV-resistance: **limited**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- µ Thickness: **150 microns**

The tape is laminated with masking tape on the bottom and top of a thin foam layer, providing a solid guide edge and allowing for easy removal. The raised edge can be used as a platform for aligning emblems and decals, as well as being perfect for pinstriping along bodylines, contours and graphic borders.

SKU	SIZE	ROLLS
48920	1/4" x 11yds.	12/box

ProMask Maskers • *Quick & Easy Masking*



ProMask "2 in 1" combines coated paper and high temperature masking tape. It offers a quick & easy solution for masking bumpers, door-jambs, head-lights, taillights, and other small car parts.

- Temp. resistance 1h/110° C (232° F)
- UV-resistance: **limited**
- Waterborne resistance: **limited**
- Solvent resistance: **excellent**
- µ Thickness: **140 microns**

SKU	SIZE	ROLLS
48216	7" x 65'	60/box - refill rolls
48218	7" x 65'	48/box - rolls w/ dispenser
48236	12" x 82'	24/box - refill rolls
48238	12" x 82'	22/box - rolls w/ dispenser
48246	18" x 58'	18/box

7 Plotter Ready Masks

For custom paint, graphics, stencil work, airbrushing and more

Back to top







Tech tips

For all Masks

When used with plotters, always do a small test cut first to ensure appropriate speed and pressure are set.

For Gold Mask

Set the baseline pressure at 40-45 grams of force with a 45 degree blade. Make adjustments as needed. The blade should not be cutting through paper backing.

For Green & Blue Mask

Set the baseline pressure at 90-120 grams of force with a 45 degree blade. Make adjustments as needed. The blade should not be cutting through paper backing.

8 Plotter Ready Masks

For custom paint, graphics, stencil work, airbrushing and more

Back to top

Gold Mask ™ • *for Plotters & Custom Hand Stenciling*



Gold Mask™ is a semi-transparent paper tape material with easy release paper backing, making it ideal for for custom paint projects, complex graphic designs, airbrushing, and more.

All plotter ready masks are professional quality, extremely thin, flexible, and cut clean with sharp edge. They can be re-positioned without leaving any residue.

- Temp. resistance 1h/100° C (212° F)
- UV-resistance: **up to 6 months**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- ≈ Rigidity: **rigid**
- µ Thickness: **100 microns**

SKU	SIZE	ROLLS
48092	6” x 11 yds.	1
48093	12” x 11 yds.	1
48095	24” x 5.5 yds.	1

SKU	SIZE	SHEETS
48091	12” x 9”	6

Green Mask ™ • *for Plotters & Custom Hand Stenciling*



Green Mask™ is a semi-transparent vinyl material with easy release paper backing, making it ideal for for graphic work and lettering overlays.

All plotter ready masks are professional quality, extremely thin, flexible, and cut clean with sharp edge. They can be lifted and re-positioned without leaving any residue.

- Temp. resistance 1h/130° C (266° F)
- UV-resistance: **limited**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- ≈ Rigidity: **soft**
- µ Thickness: **105 microns**

SKU	SIZE	ROLLS
48592	6” x 11 yds.	1
48593	12” x 11 yds.	1

SKU	SIZE	SHEETS
48591	12” x 9”	6

Blue Mask ™ • *for Plotters & Custom Hand Stenciling*



Blue Mask™ is an opaque vinyl material with easy release paper backing, making it ideal for use on contoured substrates where flexibility is required.

All plotter ready masks are professional quality, extremely thin, flexible, and cut clean with sharp edge. They can be lifted and re-positioned without leaving any residue.

- Temp. resistance 1h/130° C (266° F)
- UV-resistance: **limited**
- Waterborne resistance: **excellent**
- Solvent resistance: **excellent**
- ≈ Rigidity: **medium soft**
- µ Thickness: **105 microns**

SKU	SIZE	ROLLS
48693	12” x 11 yds.	1
48695	24” x 5.5 yds.	1

SKU	SIZE	SHEETS
48691	12” x 9”	6

9 Specialty Hand Sprayers

Chemical sprayers designed for versatile chemical applications

Back to top

Comes with

1/4" connector for compressed air charge or manual pump option



Expert FKM/PA

SKU	SIZE	QTY
50100	1L (1.06qt)	6/case
50400	1.8L (1.9qt)	4/case
50175	——	1 repair kit

Comes with

1/4" connector for compressed air charge or manual pump option



EPDM-FPV-FPE

SKU	SIZE	QTY
50101	1L (1.06qt)	6/case
50401	1.8L (1.9qt)	4/case
50185	——	1 repair kit



KPV-FPE

SKU	SIZE	QTY
50200	1L (1.06qt)	6/case
50275	——	1 repair kit

Comes with

1/4" connector for compressed air charge or manual pump option



FPV/FPE

SKU	SIZE	QTY
50300	1L (1.06qt)	6/case
50404	1.8L (1.9qt)	4/case
50375	——	1 repair kit

10 Specialty Hand Sprayers

Chemical sprayers designed for versatile chemical applications

Back to top



FPV/SPP

SKU	SIZE	QTY
50350	1L (1.06qt)	6/case



PP/PE

SKU	SIZE	QTY
50020	1L (1.06qt)	6/case



High Quality Spraying Solutions

FBS has been committed to finding better solutions since 1989.

We are the only company globally that can recommend the correct sprayer for a specific chemical product due to extensive research, design and development.

Each sprayer is designed with quality engineered materials for a specific application / chemical type.

All FBS sprayers are manufactured in Germany with the highest attention to detail and precision.

Features

- Durable construction bottle - impact resistant & sturdy, designed for heavy use.
- Easy pump operation with spray pressure up to 4bar.
- Ergonomic handle for comfortable operation.
- Adjustable spray nozzle with nickel plated brass insert.
- Enclosed end-cap design for superior pump performance.

Benefits

- Increased work productivity and efficiency in surface preparation before and after repairs.
- Reduction of VOC's while dispensing bulk chemicals - eliminating the need for aerosol based products.
- Compatible with waterborne cleaners and solvents.

11 Specialty Hand Sprayers

Chemical sprayers designed for versatile chemical applications

Back to top

Why is it important to use the right sprayer?

1 *Seals will last longer and withstand chemicals that they are designed for.*

2 *The pump sprayer will maintain pressure consistency.*

3 *Plastics will resist permeation against the recommended chemicals.*

4 *Improved workflow and efficiency by using the correct sprayer.*



12 Tools & Accessories

Back to top

Fanjet Nozzle Upgrade



SKU	QTY
50165	1/pkg

Color Coding Caps



SKU	COLORS	QTY
50160	red, yellow, green, blue, orange	5/pkg

WHMIS Labels




SKU	SIZE	QTY
50161	3” x 4”	5/pkg

Stainless Steel Spreaders



SKU	SIZES	QTY
30121	5”, 4”, 3”, 2”	4/pkg



Pump Features

① Internal pressure release valve

② ¼” connector for compressed air charge or manual pump option

③ Strong steel cylinder pump rod

④ Conical or stream spray pattern

⑤ Improved end-cap design for chemical durability

13 Surface Protection Material

Advanced surface protection for demanding jobs

Back to top

Spill Resistant • *Breathable fleece with non-slip backing*



- The spill resistant, anti-skid material is breathable and tear resistant, making it ideal for optimal protection of freshly laid floors.
- The top is made from sturdy PE film which is paint and solvent resistant, making it easy to clean up and reuse.
- The underside offers maximum slip and scratch resistance, thanks to its coated polyester fibers. It works best when the surface is clean and dry.
- The material is repositionable and can be layered for extra protection.

SKU	SIZE	ROLLS
90110	1m x 12.5m	1 roll
90120	1m x 50m	1 roll

Absorbent • *Non-woven and solvent resistant material*



- Light weight absorbent non-woven felt material with an impermeable, solvent-resistant film on the bottom.
- Non-slip film underside, can be used multiple times. Extra high density, very tearproof. Easy, wrinkle-free roll out. Use as a drop sheet for painting or protecting flooring.

SKU	SIZE	ROLLS
90210	1m x 25m	1 roll
90220	1m x 50m	1 roll

Self-Adhesive • *Non-slip absorbent fleece*



- The super-adhesive absorbent fleece offers maximum slip resistance and is the ideal protection for carpets, stairs and other materials. It can be used to protect various surfaces from paint, solvents, grease, oil, and other liquids.
- The underside is made of a self-adhesive film, which makes wrinkle-free laying and safe work easy. It is not breathable however, so is unsuitable as a freshly laid floor covering.
- This material is easy to cut, and can be repositioned and layered for extra protection.

SKU	SIZE	ROLLS
90310	0.5m x 25m	1 roll
90320	1m x 25m	1 roll

14 ProPlus Gard Coveralls

Professional PPE for surface preparation, paint & body, cleaning and detail work

Back to top



Spray Gard

KAT. III ANTI-STATIC TYPE 6 EU Standard: Category III/EN 13034/Type 6

ProPlus Gard

Coveralls feature “Rip-stop” nylon “SPRAY” gard protection. The fabric is micro coated, to provide a barrier against spray and dust, combined with mesh vents offers excellent comfort, and breathability.

All in One

This spray-gard, anti-static, chemical protection coverall is well suited for work in paint shops, chemical industry, contamination sites, and many other related industries. Grey material also helps reduce reflections, making it ideal for paint work.

Extra Features

Covered zipper, gusseted cuff and sleeve with elastic, velcro fasteners, and large front and back pocket.

SKU	SIZE	BODY HEIGHT	UNITS
60301	Medium	5’6” - 5’9”	6/case
60302	Large	5’9” - 6’0”	6/case
60303	X Large	6’0” - 6’2”	6/case
60304	XX Large	6’2” - 6’4”	6/case
60305	XXX Large	6’4” - 6’6”	6/case



Prep Gard

KAT. III ANTI-STATIC TYPE 6 EU Standard: Category III/EN 13034/Type 6

ProPlus Gard

Coveralls feature “Rip-stop” nylon “SPRAY” gard protection. The fabric is micro coated, to provide a barrier against spray and dust, combined with mesh vents offers excellent comfort, and breathability.

All in One

This spray-gard, anti-static, chemical protection coverall is well suited for work in paint shops, chemical industry, contamination sites, and many other related industries. Blue material is ideal for prep & body work.

Extra Features

Covered zipper, gusseted cuff and sleeve with elastic, velcro fasteners, and large front and back pocket.

SKU	SIZE	BODY HEIGHT	UNITS
60401	Medium	5’6” - 5’9”	6/case
60402	Large	5’9” - 6’0”	6/case
60403	X Large	6’0” - 6’2”	6/case
60404	XX Large	6’2” - 6’4”	6/case
60405	XXX Large	6’4” - 6’6”	6/case

15 ProPlus Gard Coveralls

Professional PPE for surface preparation, paint & body, cleaning and detail work

Back to top



Micro Gard

KAT. III ANTI-STATIC TYPE 6 EU Standard: Category III/EN 13034/Type 6

ProPlus Gard

Waterborne/Solvent coveralls feature all Micro Gard protection. The fabric is micro coated, to provide a barrier against spray and dust.

All in One

This waterborne/solvent spray-gard, anti-static, chemical protection coverall is well suited for work in paint shops, chemical industry, contamination sites, and many other related industries.

Extra Features

Premium, lightweight and breathable material, gusseted cuff, sleeve with elastic and velcro fasteners.

SKU	SIZE	BODY HEIGHT	UNITS
60501	Medium	5’6” - 5’9”	6/case
60502	Large	5’9” - 6’0”	6/case
60503	X Large	6’0” - 6’2”	6/case
60504	XX Large	6’2” - 6’4”	6/case



Dust Gard

KAT. III ANTI-STATIC TYPE 5 TYPE 6 EU Standard: Category III/CE1023/Type 5 & 6

ProPlus Gard

Coveralls are manufactured using the innovative “Inline process,” a 3-ply SMS material (Spunbound, Meltblown, Spunbound). The fabric is dust-tight, anti-static and lightweight.


All in One

This dust-tight, anti-static, chemical protection coverall is well suited for work in paint shops, chemical industry, contamination sites, and many other related industries.

Extra Features

Covered zipper, gusseted cuff, sleeve with elastic and velcro fasteners.

SKU	SIZE	BODY HEIGHT	UNITS
60030	Medium	5’6” - 5’9”	6/case
60040	Large	5’9” - 6’0”	6/case
60050	X Large	6’0” - 6’2”	6/case
60060	XX Large	6’2” - 6’4”	6/case
60070	XXX Large	6’4” - 6’6”	6/case



FBS DISTRIBUTION CO. INC.

sales@fbs-online.com

1110, 572 Nicola Place, Port Coquitlam, BC, V3B 0K4, Canada

Tel. 604 472 0773

Fax. 604 472 0776

Toll Free Tel.: 1-888-984-9441

Toll Free Fax: 1-888-984-9840

Click here to find your nearest FBS distributor

www.fbsdistribution.com